

University of Groningen

Analysis of the ATCase catalysis within the amino acid metabolism of the human malaria parasite *Plasmodium falciparum*

Bosch, Soraya Soledad

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Bosch, S. S. (2019). *Analysis of the ATCase catalysis within the amino acid metabolism of the human malaria parasite Plasmodium falciparum*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

CHAPTER 6

CONCLUSION

In this work the enzyme aspartate carbamoyltransferase from *P. falciparum* has been characterized which is the second enzyme of the pyrimidine biosynthesis. This enzyme is essential for the parasite, has a trimer/hexamer conformation in solution and the active sites reside in the interphases between two subunits. Active site mutations do not have an influence on the protein assembly and enables Protein Interference Assays (PIA) in the parasite. Applied PIA show that a deficiency of *PfATCase* has a knock-down phenotype on the proliferation of the parasite which proves again that PIA are an excellent method to test essentiality in in vivo experiments.

Furthermore, we demonstrated the mechanism of action of the potent drug Torin2, which opens several options for the design of new compounds against *PfATCase* and *PfPRSase*.